


Lake Hemet Municipal Water District

26385 Fairview Avenue, Hemet, CA , 92544

Valley System



2008
Consumer
Confidence
Report

WATER CONSERVATION TIPS

Landscape Watering Tips!

Depending on the size and design of your outdoor space, water use can increase as much as 50 percent in the summer due to outdoor watering. The best way to manage outdoor water use is by installing a water efficient landscape design, but there are many ways to conserve water in an established landscape, as well.

- Stop leaks! Replace damaged or missing sprinkler heads promptly and replace repair damaged or disconnected irrigation hoses. Fix leaky hose connections and taps, as well.
- Water the grass, not hard surfaces like sidewalks, patios or roads. Align sprinkler heads correctly and check them regularly to ensure water is going where it should.
- Create separate irrigation zones for turf and ornamental shrub or flowerbeds. Water established trees, shrubs, and flowers less often than turf.
- Water in the early morning to minimize evaporation.

Indoor Water Savers!

Turn off the water when you brush your teeth – 3 gallons per day

Shorten your showers by one or two minutes – 5 gallons per day

Fix leaky faucets – 20 gallons per day

Wash only full loads of laundry – 15 to 50 gallons per load.

CALIFORNIA FRIENDLY LANDSCAPING

Many Southern Californian's are asking how they can reduce their water usage and yet maintain a nicely landscaped yard. The District's headquarters on Fairview Avenue is one example of how properly selecting the right landscape for our region can save you money. Please accept our invitation to come view some of the District's colorful drought tolerant plants and discuss water saving ideas with our staff.

GROUNDWATER MANAGEMENT

As reported last year, the culmination of the negotiated Ground Water Management Plan/Soboba Indian Settlement had cleared a number of serious impediments and hurdles. Currently, there is an issue that has momentarily short-circuited the completion of

some of the construction aspects of the preliminary work that has stalled final project completion. This issue regards an environmental concern over the population of an environmentally listed mammal that has its home in the San Jacinto River bed. The mitigation of this concern is still being debated by environmentalist, state officials, and politicians. The end-game is for this hurdle to be crossed over in order to complete this negotiated settlement. Local water agencies and the two cities involved in this program are pressing forward to a completion of this project thereby insuring future generation's adequate water supplies.

EASY PAY (DIRECT DEBIT) BILL PAYMENTS

Our payment alternative "Easy Pay" (aka Direct Debit) has provided customers with a simple, safe, and convenient alternative to mailing or hand delivering payment for their water bills. Many of our customers have chosen it as a safe, time saving alternative that takes the worry of overlooking bills, late fees and stamps. And it saves that last minute trip to our office. If you haven't already signed up you can simply complete a short form and submit a blank, voided check. For information on how to get started with either "Easy Pay" or "Online Bill Pay", look for more information in your bill or "on-line" at www.lhmwd.org.

ON-LINE BILL PAYMENTS

Online bill pay is quickly catching on as another alternative to the visit to our office. The system is up and running smoothly and providing our customers with a little added convenience. For information on how to get started with either "Easy Pay" or "Online Bill Pay" look for more information in your bill or "on-line" at www.lhmwd.org.

CAMPGROUND

Lake Hemet Campground has implemented planned improvements that will create an overall more satisfying camping experience.

There have been 515 posted campsites created and there has been separate group camping areas designated as well. To further facilitate camping, a reservation system is being installed with implementation later this summer.

The intention of this modernization is to insure campers will have a reserved camping site when they arrive at the campground. For further information check out our website at www.lakehemet.org or call the campground at (951) 659-2680.

WATER QUALITY REPORT

This brochure is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards. We are committed to providing you with information because informed customers are our best allies. For more information about your water, call 951-658-3241 and ask for Robert W. Norman.

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entiende bien. 951-658-3241

The District's Board of Directors meets the third Thursday of every month at the main office, located at 26385 Fairview Avenue, at 3:00 PM. Please feel free to participate in these meetings.

Your water comes from thirteen wells located along the San Jacinto River from Valle Vista to San Jacinto. During high demand in the summer, the District purchases local ground water from Eastern Municipal Water District. Information concerning contaminants in this water is provided later in this report. All source water is disinfected with chlorine to protect you against microbial contaminants.

The attached tables list all the drinking water contaminants that we detected during the 2008 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done January 1 – December 31, 2008. The State requires us to monitor for certain contaminants less than once per year because concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

GENERAL INFORMATION

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production, and can

also come from gas stations, urban storm water runoff, and septic systems.

- Radioactive contaminants, which can be naturally occurring or can be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that your water poses a health risk. In order to ensure that tap water is safe to drink, USEPA and the California Department of Health services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791.)

Terms & abbreviations used:

- **Maximum Contaminant Level (MCL):** The highest level of contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.
- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- **Maximum Residual Disinfectant Level (MRDL):** The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.
- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.
- **Primary Drinking Water Standard or PDWS:** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
- **Regulated Action Level (RAL):** The concentration of the contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.
- **n/a:** not applicable; **ND:** not detectable at testing limit; **pCi/l:** picocuries per liter (a measure of radiation); **umhos/cm:** a measure of electrical conductance; **ppm:** parts per million or milligrams per liter (a contaminant at 4 ppm equals 0.000004 gallon of contaminant in 1 gallon of water); **ppb:** parts per billion or micrograms per liter (a contaminant at 7 ppb equals 0.00000007 gallon of contaminant in 1 gallon of water); **NTU:** Nephelometric Turbidity Units; **ppt:** parts per trillion or nanograms per liter (ng/L)

Nitrate in drinking water at levels above 10 ppm (as Nitrogen) is a health risk for infants less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider.

LAKE HEMET MUNICIPAL WATER DISTRICT

Regulated Contaminants with Primary MCLs or MRDLs

Microbiological Contaminants	Units % of samples	MCLG	MCL	Highest monthly	Major Sources in Drinking Water		
Total Coliform Bacteria		0	5%	1.28%	Naturally present in the environment		
Radioactive Contaminants	Units	PHG	MCL	Range (Average)			
Gross Alpha particle activity	pCi/l	n/a	15	1.33-16 (3.7)	Erosion of natural deposits		
Combined Radium	pCi/l	n/a	5	0 - .66 (.17)	Erosion of natural deposits		
Uranium	pCi/l	0.5	20	0 - 15.7 (2.0)	Erosion of natural deposits		
Inorganic Contaminants	Units	PHG (MCLG)	MCL	Range (Average)			
Chromium	ppb	100	50	ND- 5.7 (1.7)	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits		
Fluoride	ppm	1	2	0.2- 0.4 (0.25)	Erosion of natural deposits; water additive that promotes strong teeth; discharges from fertilizer and aluminum factories		
Nitrate	ppm	(10)	45	0.8 - 16 (5.9)	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits		
Nitrate + Nitrite	ppm	(10)	10	0.8 - 16 (5.9)	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits		
	Units	PHG	MCL	90 th percentile	# of sites	# sites over RAL	
Copper (2007 - 90 th percentile)	ppm	0.17	AL=1.3	.26	30	0	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Disinfection Byproducts, Disinfectant Residuals, and Disinfection Byproduct Precursors	Units	MRDLG	MCL (MRDL)	Highest Annual Average	Range		
Total Trihalomethanes	ppb	n/a	80	7.5	2.8 - 22		By-product of drinking water chlorination
Halocetic Acids	ppb	n/a	60	2.3	0 - 8.0		By-product of water disinfection
Chlorine	ppm	4	(4.0)	.99	0 - 2.5		Drinking water disinfectant added for treatment

Regulated Contaminants with Secondary MCLs

	Units	PHG (MCLG)	MCL	Range (Average)	Typical Source of Contaminant
Total Dissolved Solids	ppm	n/a	1000	240 - 370 (269)	Runoff/leaching from natural deposits
Specific Conductance	micromhos	n/a	1600	370 - 580 (420)	Substances that form ions when in water; seawater influence
Chloride	ppm	n/a	500	13 - 38(19)	Runoff/leaching from natural deposits; seawater influence
Sulfate	ppm	n/a	500	14 - 100 (37)	Runoff/leaching from natural deposits; industrial wastes
Turbidity	NTU	n/a	5	<0.2 - .40 (<0.2)	Soil runoff
Zinc	ppm	n/a	5	<5 - 18 (4.7)	Runoff/leaching from natural deposits; industrial wastes

State Regulated Contaminants with No MCLs

	Units	RAL	Range (Average)	
Chromium VI	ppb	n/a	1.7 - 9.0 (5.35)	Industrial waste discharges and pesticide

Other Parameters

	Units	Range (Average)
Total Hardness	ppm	80 - 190 (180)
pH	Std. Units	7.6 - 8.1 (7.2)

Other Detected Contaminants That May Be Of Interest To The Consumer

	Units	Range (Average)
Calcium	ppm	28 - 64 (46)
Magnesium	ppm	2.6 - 6.8 (5)
Potassium	ppm	2.7 - 5.5 (3.3)
Sodium	ppm	18 - 56 (29)
Bicarbonate	ppm	140 - 200 (161)
Total Alkalinity	ppm	100 - 160 (143)

Source water assessments of all thirteen wells were completed in November 2003. These sources, based on assessments, are most vulnerable to sewer collection systems, septic systems, wells - agricultural / irrigation, and high-density housing. Copies of the completed assessments are available at Department of Health Services, Drinking Water Field Operations Branch, 1350 Front Street, Room 2050, San Diego, CA 92101 or at Lake Hemet Municipal Water District, 26385 Fairview Avenue, Hemet, CA 92544. You may request summaries of the assessments be sent to you by contacting Steve Williams at 619-525-4580 or Robert W. Norman at 951-658-3241.

In 2008, the District purchased 36.2 acre-feet of supplemental water from Eastern Municipal Water District (EMWD). This amounted to 3.1% of the District's source of supply. The data in the tables below were supplied by Eastern Municipal Water District and are from a blend of water from 14 wells located in the San Jacinto Valley.

EASTERN MUNICIPAL WATER DISTRICT

Regulated Contaminants with Primary MCLs

Radioactive Contaminants	Units	PHG	MCL	Range (Average)	Major Sources in Drinking Water
Gross Alpha particle activity	pCi/l	(0)	15	8.1	Erosion of natural deposits
Gross Beta	pCi/l	(0)	50	6	Erosion of natural deposits
Combined Radium	pCi/l	(0)	5	0 - .31 (.05)	Erosion of natural deposits
Uranium	pCi/l	0.5	20	.26 - 2.08 (1.17)	Erosion of natural deposits
Inorganic Contaminants	Units	PHG (MCLG)	MCL	Range (Average)	
Barium	ppb	NA	1000	ND - 110 (100)	Oil and metal refineries discharge; natural deposits erosion
Fluoride	ppm	1	2	0.2 - 0.6 (.3)	Erosion of natural deposits; water additive for tooth health
Nitrate	ppm	10	10	ND - 4.5 (1.1)	Runoff and leaching from fertilizer use; sewage; natural erosion
Nitrate and Nitrite	ppm	10	10	1 - 3.9 (1.12)	Runoff and leaching from fertilizer use; sewage; natural erosion
Lead	ppb	2.0	15	<.3 - 1 (.86)	Internal corrosion of household plumbing systems; erosion of natural deposits; industrial manufacturing
Nickel	ppb	12	100	<1 - 1.9 (1.15)	Erosion of natural deposits; discharge from metal factories

Regulated Contaminants with Secondary MCLs

	Units	PHG (MCLG)	MCL	Range (Average)	Typical Source of Contaminant
Color	Units	NA	15	2.5 - 5 (<2.5)	Naturally occurring organic materials
Corrosivity	SI	NA	>15	-0.18 - .67 (-0.07)	Elemental balance in water; affected by temperature, other factors
Iron	ppb	n/a	300	5 - 120 (26.4)	Leaching from natural deposits
Odor Threshold	Units	NA	3	1 (1)	Naturally occurring organic materials
Total Dissolved Solids	ppm	n/a	1000	190 - 600 (267)	Runoff/leaching from natural deposits
Specific Conductance	umhos/cm	n/a	1600	755 - 927 (841)	Substances that form ions when in water
Chloride	ppm	n/a	500	84 - 96 (92)	Runoff/leaching from natural deposits
Manganese	ppb	500	50	NA - 70 (21)	Leaching from natural deposits
Sulfate	ppm	n/a	500	10 - 230 (55)	Runoff/leaching from natural deposits
Turbidity (Monthly)	NTU	n/a	5.0	<.1 - 1 (.35)	Soil runoff

State Regulated Contaminants with No MCLs

	Units	RAL	Range	Average	
Chromium VI	ppb	n/a	1.0	(1.0)	Industrial waste discharges and pesticide uses
Vanadium	ppb	50	9.1	(9.1)	Industrial waste discharges and pesticide uses
Trichloropropane (1,2,3 - TCP)	ppt	5	ND - 53	(6)	Industrial waste discharges and pesticide uses
TOC's	ppm	NA	ND - 0.7	(0.5)	Various Natural and manmade sources
Boron	ppb	1000	.01 - .2	(.04)	

Other Parameters

	Units	Range (Average)
Total Hardness	ppm	110 - 290 (150)
pH	Std. Units	7.1 - 8.5 (7.6)
Calcium	ppm	36 - 90 (52)

Other Detected Contaminants That May Be Of Interest To The Consumer

	Units	Range (Average)
Magnesium	ppm	3 - 17 (6)
Potassium	ppm	2.8 - 7.9 (4.1)
Sodium	ppm	22 - 85 (38)
Total Alkalinity	ppm	110 - 180 (130)
Bicarbonate	ppm	130 - 220 (160)
HPC	CFU/ml	ND - >5700 (200)

Radon is a radioactive gas that you can't see, taste, or smell. It is found throughout the U.S. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from tap water from showering, washing dishes, and other household activities. Compared to radon entering the home through the soil, radon entering the home through tap water will in most cases be a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. If you are concerned about radon in your home, test the air in your home. Testing is inexpensive and easy. Fix your home if the level of radon in the air is 4 picocuries per liter (pCi/L) or higher. There are simple ways to fix a radon problem that aren't too costly. For additional information, call your State radon program or call EPA's Radon Hotline (800-SOS-RADON).

While your drinking water meets the current standard for arsenic, it does contain low levels of arsenic. The standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The California Department of Health Services continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

MISSION STATEMENT

The Mission of Lake Hemet Municipal Water District is to produce and deliver high quality water to our customers for domestic and agricultural use, to provide sewer collection services and to maintain Lake Hemet as a clean safe water reservoir and recreational facility, in an economical, efficient and responsible manner now and in the future.



Pat Searl
Division 1
Frank Gorman
Division 2
Doug Marshall
Division 3
Larry Minor
Division 4
Herb Forst
Division 5

Board of Directors

2008 CONSUMER CONFIDENCE REPORT



LAKE HEMET MUNICIPAL WATER DISTRICT
P.O. Box 5039
Hemet, California 92544-0039

Presented
Standard
U.S. Postage
PAID
San Jacinto, CA
92583
Permit No. 51